

Light-Duty HMA / Aggregate Composite Section  
(Equivalent to Class II Drive Section):

90 kg/m<sup>2</sup> HMA Surface Type A on  
150 kg/m<sup>2</sup> Intermediate Type A on  
200 mm Min. Compacted Aggregate Base, No. 53

Medium-Duty HMA / Aggregate Composite Section  
(Equivalent to Class IV Drive Section):

90 kg/m<sup>2</sup> HMA Surface Type B on  
150 kg/m<sup>2</sup> Intermediate Type B on  
200 mm Min. Compacted Aggregate Base, No. 53

Heavy-Duty HMA / Aggregate Composite Section  
(Equivalent to Class VI Drive Section):

90 kg/m<sup>2</sup> HMA Surface Type B on  
330 kg/m<sup>2</sup> Intermediate Type B on  
250 mm Min. Compacted Aggregate Base, No. 53

PCCP Section:

150 mm Min. PCCP for Approaches on  
150 mm Dense Grade Subbase

## **PARKING LOT PAVEMENT SECTIONS**

**Figure 52-13X**